



Modelling clinopyroxene/melt partition coefficients for higher upper mantle pressures

Julia M. Schmidt, Lena Noack

Freie Universität Berlin

Overview

Method

Modelling
Results

Conclusion



WWU

Freie Universität




Berlin



Partition coefficients are:

- ❖ important to comprehend redistribution of trace elements,
 - ❖ pressure and temperature dependent,
 - ❖ crucial for mantle evolution models.
- But are neglected or set constant in partial melt simulations due to **lack of high pressure models**



Incompatible elements are redistributed into partial melt and transported upwards.

- This results in an enriched surface and depleted upper mantle




Sodium clinopyroxene/melt partition coefficients can be used as a „reference“ coefficients for other trace elements:

- ❖ Sodium is the best fitting element in the M2 crystal lattice site of clinopyroxene and has therefore the highest partition coefficients
- ❖ The elements of one charge have a logarithmic relationship
- ❖ Curves of different charges shift depending on E-Modulus and lattice site radius

Clinopyroxene takes up most incompatible trace elements in all mantle materials

- Cpx/melt partition coefficients are crucial for mantle evolution models



Approach by Wood and Blundy (1997):


Best fit for $D_i^{cpx/melt}$:

$$D_i = D_0 * \exp \left[\frac{-4\pi EN_A \left[\frac{r_0}{2} (r_i - r_0)^2 + \frac{1}{3} (r_i - r_0)^3 \right]}{RT} \right]$$

Where:

$$D_0 = D_{Na} = \exp \left(\frac{10367 + 2100P - 165P^2}{T} - 10.27 + 0.358P - 0.0184P^2 \right)$$

D_{Na} scaling law, T rising along the solidus
(derived from de Smet (1999))



Experiments show that D_{Na}
partition coefficients **increase**
until they become constant



Scaling law only applicable up to
4 GPa!



We develop a thermodynamic
model after Blundy et al. (1995)
and parameterize it to higher
upper mantle pressures




Between liquidus and solidus:

- ❖ Increasing partition coefficients with pressure
- ❖ Decreasing partition coefficients with temperature
- agrees with literature!

Parameterized a new scaling law from the model with the intervals steps:
 $F = 0.2$ and
 $P = 0.1 \text{ GPa}$.


Thermodynamic model



Schmidt and Noack, submitted
 Liquidus and Solidus according to de Smet et al. (1999)




With our new scaling law, $D_{Na}^{cpx/melt}$ continues to rise with increasing pressure up to 12 GPa. The scaling law agrees well with experimental literature values.



Schmidt and Noack, submitted





Schmidt and Noack, submitted

- ❖ The parameterization between liquidus and solidus ensures that the scaling law is applicable in a wide P-T range.
- ❖ Up to 4 GPa, the scaling law of Blundy et al. (1995) fits better to the thermodynamic model.
- From 0-4 GPa: use scaling law of Blundy et al. (1995)
- From 4-12 GPa: use new scaling law

Final equation, to be used **between 4 and 12 GPa**:

$$D_{Na} = \exp \left(\frac{2183 + 2517P - 157P^2}{T} - 4.575 - 0.5149P + 0.0475P^2 \right)$$



- ❖ Now it is possible to calculate P-T sensitive partition coefficients from 0-12 GPa by combining the scaling laws of Blundy et al. (1995) and our study.
- ❖ D_{Na} can serve as a „reference“ coefficient to calculate other trace elements from.
- ❖ The results enable us to calculate the redistribution of trace elements on Earth and other terrestrial planets with comparable mantle composition.



Schmidt, J.M. and Noack, L.: *Parameterizing a Model of Clinopyroxene/Melt Partition Coefficients for Sodium to Higher Upper Mantle Pressures, G-Cubed*, submitted

Blundy, J. et al. (1995): *Sodium partitioning between clinopyroxene and silicate melts*, J. Geophys. Res., 100, 15501-15515.

De Smet, J., Van Den Berg, A., & Vlaar, N.(1999): *The evolution of continental roots in numerical thermo-chemical mantle convection models including differentiation by partial melting*, Developments in geotectonics , 24, 358153–170, Elsevier.

Wood, B.J. and Blundy, J.D. (1997): *A predictive model for rare earth element partitioning between clinopyroxene and anhydrous silicate melt*, ContribMineral Petrol, 129, 166-181.

