

The 1980 Irpinia-Basilicata earthquake: the environmental phenomena and the choices of reconstruction.

Sabina Porfido¹, Giuliana Alessio², Paola Avallone³, Germana Gaudiosi², Giovanni Lombardi³, Rosa Nappi², Raffaella Salvemini³, Efisio Spiga⁴

1) CNR-IAMC Napoli, Italy 2) Istituto Nazionale di Geofisica e Vulcanologia, Sezione di Napoli Osservatorio Vesuviano; 3) CNR-ISSM Napoli, Italy; 4) Independent Researcher, Avellino Italy


(corresponding author:sabina.porfido@iamc.cnr.it

Aim of the study: to describe specific changes that have taken place in the 35 years following the 1980 earthquake; how the urban and territorial setting have been modified, especially in the villages located in the epicentral area; the consequences of the ground effects on the choices of reconstruction, both in situ, and far from the original historical centres.


The 23 November 1980 earthquake, as the "Irpinia-Basilicata earthquake" was the strongest seismic event of the last 80 years in the Southern Apennines of Italy (Mw=6.9, Io=X MCS, Postpischl, 1985). It was felt nearly everywhere in Italy, from Sicily in the South, to Emilia Romagna and Liguria in the North.

INGV


SSM



This earthquake was characterized by a complex main rupture, composed of three major sub-events, corresponding to three normal faulting events. Many localities in the Avellino, Salerno and Potenza provinces were nearly completely destroyed (I=IX-X MSK, Postpischl et al., 1985); among them Castelnuovo di Conza, Conza della Campania, Lioni, Santomenna, San Mango sul Calore, San Michele di Serino and Sant'Angelo dei Lombardi. About 800 localities suffered serious damages (Balvano, Bisaccia, Calitri, etc); 75,000 houses collapsed totally and 275,000 were badly damaged. Casualties were about 3000, and 10,000 people were wounded.




A large amount of information on primary and secondary environmental effects, over all slope movements, was available on the basis of several geological surveys of the area affected by this earthquake. The total amount of surface faulting was about 40 km in length and the maximum displacement about 100 cm, while the total area interested by slope movements was estimated in 22,000 km² (Porfido et al., 2002, 2007; Serva et al.2009).







■ Surface faulting ■ Slope movements ■ Ground cracks Ground settlement

Case histories: some case histories as Calitri and San Mango sul Calore villages, were affected by severe landslide phenomena, and in situ rebuilt, whereas Conza della Campania, on the basis of the suffered damages, has been reconstructed far from its original location.








San Mango sul Calore

Distance from the epicentre (Laviano): about 20 km

Intensity: IX MSK – VIII ESI

FINAL REMARKS

In the so-called Anthropocene age it is extremely important, for reconstruction of the villages destroyed by earthquakes, the role of the geologist both in technical and social context, as well as in the ethical one. After the 1980 earthquake, only two villages have been completely relocated, not only respecting the technical parameters, but above all respecting the people will; one of them is Conza della Campania, the other one is Romagnano al Monte. In the examples above described, geologists have deeply contributed both to the retrieval of the villages and to their relocation 'in situ'.



ISTAT data report a gradual decrease in population for al three surveyed municipalities In San Mango it has gone from 1,581 people in 1981 to 1,192 i 2011, a decline of 401 units. In Calitri for the same period the vas a decrease of 1697 units.

bution of ground effects induced by strong earthquakes in the Southern Apennines (Italy), Sur-Porfido et Al., 2007. Seismically induced ground effects of the 1805, 1930 and 1980 earthquakes in the southern Apennines, D. Postpischl, A. et Al., 1985. The Irpinia earthquake of November 23, 1980. Atlas of isoseismal maps of italian earthquakes, CNR-

Guelfi, Monteforti, Bozzo, Galliani, Plesi, 1983. Comune di Conza della Campania

(AV). In: Indagini di microzonazione sismica CNR- PFG, Pubbl. n. 492 Pro Loco Conza: http://www.prolococompsa.it/Pagine_Principali/Storia.html