


Monitoring volcanic and seismic activity with multiple fibre-optic Distributed Acoustic sensing units at Etna volcano



Charlotte Krawczyk, Philippe Jousset, Gilda Currenti, Michael Weber, Rosalba Napoli, Thomas Reinsch, Giorgio Riccobene, Luciano Zuccarello, Athena Chalari, and Andy Clarke

- Test ability of multiple iDAS interrogators deployed at the same time
- Increase localisation of earthquake sources
- Define protocol for data processing of multi DAS arrays
- Monitor volcano-tectonic interaction at Etna from summit to seafloor

Simultaneous records of 3 iDAS units

PDN - Pizzi Deneri Summit array:

- self-deployed telecom cable (1.5 km)
see displays D1625 and D1637


Linera array:

- TIM internet cable in urban areas (12 km)
see display D1630

INFN-LNS array:


- Submarine Observatory (25 km)
see display D1603

The 3 arrays were simultaneously recording from 11 to 23 September 2019, when 134 local seismic events (see map on the right) and 9 regional and teleseismic events ($M \geq 5$) occurred.




Albania, 21.09.2019

Magnitude 5.6 and 5.1



iDAS simultaneous records on 3 arrays

Downsampled (200 Hz) - strainrate




Volcanic event


Fault zone

Earthquake

Earthquake



Swell






Earthquake

Cars

iDAS simultaneous records on 3 arrays

Downsampled (200 Hz) - strain



Conclusions and *perspectives*

Multiple iDAS interrogators deployed at the same time

- *Increase localisation of earthquake sources*
- *Extend monitoring of volcanoes by setting-up a DAS monitoring system for localising earthquakes*
- *Tomography – ambient noise, earthquake based travel time*
- *Map subsurface of the volcano*
- *Fault mapping in highly urbanized areas*

Grazie mille!

