



6. References

[1] Iturbide, M., et al. (2020). An update of IPCC climate [2] Teichmann, C. et al. (2021). Assessing mean reference regions for subcontinental analysis of climate model climate change signals in the global CORDEX-CORE data: definition and aggregated datasets, Earth Syst. Sci. Data, ensemble. Climate Dynamics, 57(5), 1269-1292. 12, 2959-2970.





] Muñoz-Sabater, J. et al. (2021). ERA5-Land: a state-of-the-art global reanalysis dataset for land applications Earth System Science Data, 13(9), 4349-4383.

[4] Lange, S. et al. (2019). Trend-preserving bias adjustment [5] Feng, S., et al. (2020). A database for and statistical downscaling with ISIMIP3BASD (v1.0). characteristics and variations of global compound dry Geoscientific Model Development, 12(7), 3055-3070. and hot events. Weather and Climate Extremes, 30, 100299.











7. Acknowledgments

Universidad de **Cantabria**

- Interdisciplinary Thematic Platform Clima (PTI-Clima).
- Grant PID2023-149997OA-I00 (PROTECT) funded by MICIU/AEI/10.13039/501100011033 and by ERDF/EU.
- CORDEX modelling groups, the Earth System Grid Federation infrastructure and the Santander Climate Data Service.



• The Ministry for the Ecological Transition and the Demographic Challenge (MITECO) and the European Commission NextGenerationEU (Regulation EU 2020/2094), through CSIC's

• Grant TED2021-131334A-I00 (COMPOUND) funded by MICIU/AEI/10.13039/501100011033 and by the European Union NextGenerationEU/PRTR.

