Building Weather Ready Nations -The New International Need

Dr. Louis W. Uccellini
Director, National Weather Service
NOAA Assistant Administrator for Weather Services

September 3, 2018: European Met. Society Budapest, Hungary

Outline

Background

Why the urgency for change?

Building a Weather-Ready Nation

So how are we doing?

Building Weather Ready Nations (WRNs)




MISSION




Provide weather, water, and climate data, forecasts and warnings for the protection of life and property and the enhancement of the national economy.

NWS Operations Community Based Services




Seamless Suite of Forecasts From Mesoscale to S2S Increasingly Based on Multi-Model Ensembles





Global Risks Landscape

World Economic Forum Davos 2018



Likelihood



Increasing Societal Vulnerability to Environmental Hazards

Average Year

26,000 Severe Storms




1,300 Tornadoes





4 out of 5 Americans live in counties that have been declared weather-related disaster areas in the past six years*


Meanwhile we are now predicting extreme events out to a week in advance!



Factors contributing to increased vulnerabilities

- ✓ Increasing population in vulnerable areas
- ✓ More infrastructure at risk to extreme events
- ✓ Signs of climate change
 - Sea-level rise
 - Increasing extreme precipitation events
 - Record monthly temperatures

2017: 16-billion dollar events Totaling 306 billion in damages - a U.S. record



Comparing Severe Weather Outbreaks



Super Outbreak :	April 3-4, 1974	April 27-28, 2011	
Summary:	150 tornadoes across 13 states	~200 tornadoes across 16 states	
Number and Strength:	6 F-5 tornadoes, 24 F-4	4 EF-5 tornadoes, 11 EF-4	
Tornado Track Length:	2500 miles	2500 miles	
Tornado Time:	50 hours	50 hours	
Outbreak forecast:	"Indications" provided night	4-6 days prior	
Warning lead time:	before	~24 minutes	
Fatalities:	316	314	

Building a Weather Ready Nation: "A Vital Conversation"

December 2011 Workshop in Norman, OK

- Focus on the "last mile": delivery of warnings
- Assess and update warning dissemination strategy
- Integrate social and physical science
 - Is the message delivered equal to the message received?
 - Impact-based Forecast and Warnings for a wide range of decision makers (from 'organized' to 'loosely coupled' to 'individuals')
- Improved outreach and education





The Job Doesn't End with Forecasts and Warnings





"First, it should be understood that forecasts possess no intrinsic value. They acquire value through their ability to influence the decisions made by users of the forecasts."

"What is a Good Forecast? An Essay on the Nature of Goodness in Weather Forecasting"

- by Allan H. Murphy; Weather and Forecasting (June 1993)



Becoming a Weather-Ready Nation is about building community resiliency in the face of increasing vulnerability to extreme weather, water and climate events.

Touching every county every day.

Supporting national security and public safety.



"Ready, Responsive, Resilient"

Better forecasts and warnings
Consistent products and services

Actionable environmental intelligence

Connecting forecasts to decisions

Involves the entire US Weather, Water and Climate Enterprise WORKING TOGETHER

Becoming a Weather-Ready Nation Relies on the NWS Connecting Forecasts to Decisions Based on

Impact-Based Decision Support

Generating forecastsand warnings

Connecting those
forecasts/warnings with partner
decision-making process

Impact-based

Decision

Support

Services



The best hydrometeorological forecasting in the world

Practice, practice, practice!

Develop relationships / know partner needs



Embed

Realizing Intrinsic
Value and
Mission Success

Trust



"Ready, Responsive, Resilient"

Impact-Based Decision Support Services

• Now authorized by <u>Federal Law</u>:

The 2017 Weather Research and Forecasting Innovation Act authorized the NWS to address "increasing IDSS needs...at the Federal, State, local, Tribal Nations..." "within current resources"

 Recent review shows that 94% of IDSS provided at local levels for all service areas - demands sustained local presence.

The Complexity of supporting decision processes in the United States that save lives and property

- We have rediscovered Alexis de Tocqueville(1835):
 - "The Europeans accustomed to finding a functionary" always at hand to interfere with all he undertakes...reconciles himself with difficulty to the complex mechanisms of the administration of the townships...in the United States."
 - de Tocqueville referring to his discovery that nearly all the decisions for the public welfare/safety in the United States are made at local levels – town halls – not the states – not the federal (central) government!

^{*} From the national/central government

As we have found with WRN – not much has changed

Rhode Island: "Storm Ready State" celebration 39 Townships Make The Decisions (February 2, 2018)



With Governor Gina Raimondo

NWS has committed itself to serving the "complex mechanism" of local decision makers who save lives




Post Christmas Storm (Dec. 25-28, 2015): The Spectrum of IDSS

Preparedness

Federal and State Actions

- Increased level of coordination across <u>federal</u>, <u>state</u> and <u>local</u> jurisdictions before, during, and after the event
- Maintained situational awareness through NWS and liaison briefings (as early as Dec 22)
- Alerted response teams and assets for possible activation or deployment (over holiday weekend)



Immediate Response

Tornadoes

- Federal, state, local mobilized for widespread impact
- WFO Fort Worth made preliminary tornado tracks working with SR-ROC and liaisons;
- FEMA analyzed impacts to support activation and deployment decisions

Blizzard

 State and local municipalities mobilized to address road conditions, open shelters, on call for emergencies

Flooding

- Emergency Response Specialist (ERS) deployed to FEMA VII Regional Response Coordination Center
- NWS embeds with state EOCs, with FEMA, highlighted greatest flood risk to support staging operations over large domain







States of Emergency Declared

Dec 27: TX/NM/MO; Dec 28: OK; Dec 29: IL; Dec 30: MS/LA

Post Christmas Storm (Dec. 25-28, 2015): The Spectrum of IDSS


Response and Recovery


Long-Duration River Flooding

- NOAA Liaison provided location and timing of peak crests along affected rivers:
 - to help FEMA and states define when NOAA and interagency remote sensing capabilities should be executed
 - imagery captured real-time visual impacts during worst conditions to support NWS RFC operations as well as inform disaster declaration (recovery) decisions
- NWS Central and Southern Regions worked closely with FEMA Regions and States to define the events for declaration requests
- Central Region ROC continues to provide IDSS for debris removal operations in southern Missouri



NOAA King Air Aircraft






Appreciation for IDSS

"I want to first fully thank the dedicated professionals here at the National Weather Service for providing us with the most updated forecast briefing this afternoon and for their continued hard work as part of the effort to protect lives and property. Folks here are incredibly professional. We rely on them, and they don't let us down. We tremendously appreciate, especially over the holidays, how they're always there and always helpful, doing the best they can to help law enforcement and others."



Missouri Governor Jay Nixon following the 2015 December Holiday storm and January 2016 Flooding



January 2016 Blizzard & Coastal Storm: Connecting All of the Pieces

Jan 15 - 18

Jan 19

Jan 20

Jan 21

Jan 22

Medium
range
products
begin
identifying
snowstorm
threat for the
end of next
week

NWS offices
begin briefing
partners on
potential
storm

YAHOO!

Sports

Confidence increasing

Partner Coordination/ Briefings



Media interviews

Partner Coordination/ Briefings

> Blizzard Watches Issued



Media interviews


Fed./state/local govts make critical decisions <u>before</u> the snow begins

State of Emergency Declared:

- North Carolina
- Virginia
- · West Virginia
- District of Columbia
- Maryland
- Pennsylvania
- New Jersey
- New York

Blizzard Warnings Issued

Flights Canceled



1 pm: Press Briefing

Snow begins in the Mid-Atlantic

Snow forecast adjusted to include NYC in Blizzard Warning



Schools/Govt Close Roads Closed



Connecting All the Pieces

2013 Snowstorm



The Past

Long Island Expressway

With NWS
Decision
Support

Without NWS
Decision
Support

Pennsylvania Turnpike





2017 East New Orleans Tornado



Date :	February 7, 2017	
Strength:	EF-3	
Track Width:	1/3 mile	
Tornado Track Length:	10 miles	
Warning lead time:	~33 minutes	
Injuries	33	
Fatalities:	0	

- NWS local outreach and preparedness activities over a 4-year period
- Deep relationships with Emergency Managers/WRN Ambassadors
- Dissemination of forecasts and warnings
- Public awareness
 - Daytime event, visual confirmation, schools sheltered
- Collaborative forecast preparations within NWS and the larger enterprise a success
 - Over 100 meetings and table-top exercises held in the city in the year preceding event
- IDSS provided days in advance of the tornado

GOES-16 (Engineering Check-Out in 2017) Harvey Rapid Intensification



CIRA/RAMMB

Harvey: WPC 5-Day Rainfall Forecast






Issued Monday, August 28, 2017

"The breadth and intensity of this rainfall are beyond anything experienced before and catastrophic flooding is now underway and expected to continue for days. 50 inches will be possible by end of the week."

WPC briefing to FEMA Inches 4 Day Precipitation Totals (valid 12Z 8/25/2017 - 12Z 8/29/2017) Max reported -51.88" at Cedar Bayou at FM 1942 (as of 5:00 pm EDT) Tropical Storm HARVEY 120-hour Day 1-5 Rainfall Forecast (inches) Created 7:17 AM CDT Mon Aug 28 2017 Valid 7:00 AM CDT Mon Aug 28 2017 Max ~50" through 7:00 AM CDT Sat Sep 2 2017 NOAA/NWS/NCEP/WPC

- WPC Forecast Discussion


Harvey: Experimental National Water Model (NWM) Guidance



- Flood inundation maps based on NWM forecast using 5-day quantitative precipitation forecast
- Texas Department of Emergency Management needed information on exisiting and maximum possible flood extent
- Maps supported emergency management efforts to stage supplies in non-flooded areas and to target relief efforts

Irma


- Models predicted Irma becoming a hurricane before the tropical depression formed in the eastern Atlantic.
- NWS indicated threat for southeastern U.S.8-10 days in advance
- ✓ Sharp right turn to the north was expected based on strong ensemble agreement
 - Exact turn with regard to the FL peninsula was uncertain; but confidence was high enough to alert Southeast U.S. and focus on Florida.
- ✓ Florida Governor declared a State of Emergency on Monday, six and a half days before landfall
- Forecast for the right turn verified!





Forecasts and Impact Decision Support Services (IDSS) Maria

- ✓ Track forecasts for Maria were very accurate
 - GFS had the best track forecast stats
 - Intensity forecasts proved challenging
- √ 5, 4, 3 day forecasts had Maria tracking over Puerto Rico
 - Strong winds and heavy rainfall were the main threat
 - IDSS --> 5 days in advance
- Email briefings every 3 hours with partners 3 days in advance of landfall in Puerto Rico
 - Briefings to FAA and military to coordinate evacuations
- IDSS provided during the extended recovery phase



Forecasting Improvements Over the Past 25 Years






Andrew 1992



- Policy: Global models not used for official forecast
- GFS did capture an "L" with one or two closed isobars - considered a success!
- Policy changed after Andrew

Katrina 2005



- Accelerated use of models for 5-day forecasts
- Model runs captured intensification/track broad "cone of uncertainty"
- Intensity changes advertised 1-2 days in advance – still a major challenge

Irma 2017



- 10-day model runs used to track Irma:
 - development of storm as a wave exited Africa
 - right turn in the track predicted as storm approached Florida
- Still have issues nailing down the details
 - Small track changes approaching Florida
 - Rapid intensity changes

Impact Based Decision Support Services Improvements





Andrew 1992



- NHC connected with National/State EMs
- FEMA/National Recovery assets <u>not</u> prepositioned
- Slow to react to natural disasters
- National response tempo took 4 days AFTER LANDFALL to recognize impact and then rise up to meet the challenges

Katrina 2005



- NHC connection with National/State EMs expanded
- Variable connectivity with local, state/parish EM community
- National pre-coordination of response was problematic in some states
- Recovery, supplies overwhelmed

Harvey/Irma/Maria 2017



- Entire NWS connected to National, State, Local Emergency and Water Resource Managers
- Strong connection (embedding) <u>at</u> <u>every government level, especially</u> <u>at the local level</u>
- All hands on deck to support field structure before, during, and after events –NWS surges resources where needed!!
- Ready-Set-Go with EM community 7 days in advance of landfall
- CONSISTENT messaging of forecasts and impacts to all partners

Impact Based Decision Support Days Prior to Landfall

	HARVEY AUG 17 – SEPT 1	IRMA AUG 30 – SEPT 12	MARIA SEPT 16 – SEPT 20
External Partner Engagements: Briefings to Emergency Managers	7	11	5
Embedded with Emergency Operation Centers	7	6	3
"All Hands on Deck" – Internal Staffing Surge to Effected Offices	3	6	4
Internal Collaboration Calls (Centers, WFO, RFC, CWSU)	4	5	4

US Deaths: 88 97

>2900*
* - estimated and predominately post-storm

How do we Measure Success?

One of the bigger challenges for those who hold us accountable to realize the intrinsic value of our forecasts and warnings is how we measure success (economic, societal, reduced deaths/injuries) and document increased preparedness.

"Partnership with the NWS has revolutionized the EM community from one that reacts to events to one that proactively prepares and stays ahead of extreme events." - Eric Waage

Director of Emergency Management, Hennepin County Minnesota Northern Plains Winter Weather Workshop, November 2016

The Washington Post


Florida's unusually long red tide is killing wildlife, tourism and businesses

RED TIDE

Red tide in Florida and Texas is caused by the rapid growth of a microscopic algae called Karenia brevs. When large amounts of this algae are present, it can cause a harmful algal bloom (HAB) that can be seen from space. NOAA issues HAB forecasts based on satellite imagery and cell counts of Karenia brevis collected in the field and analyzed by NOAA partners.

Why Should You Care?

Red tide in Florida and Texas produces a toxin that can have harmful effects for marine life. For people, the toxin can become airborne and cause respiratory issues and eye irritation. These symptoms can be more severe for people with serious respiratory issues such as asthma.



Ecological Predictions by NOSIDSS Provided Through Local NWS WFOs

N. Pleasant Palm Beach

S.Pleasant Palm Beach

Making Choices

State and local resources are available to help beachgoers find beaches and coastal areas that are not impacted by Red tide, but are still nearby.

Dead fish line the beaches of Panama City. Photo: Randy Robinson

Weather Ready Nations (WRNs) Pilot Program

- IDSS is viable and useful for all countries
- NWS develops pilots with USAID/OFDA and encourages participation from other WMO Members
- WRNs pilots (2-3 years each) share IDSS lessons learned and best practices
- 6 WRNs pilot projects: El Salvador, Guatemala, Costa Rica, Barbados, S. Africa, Indonesia (w/Met Office)
- Upcoming: Croatia (September 2018) and Sri Lanka (January 2019)

Weather Ready Nations

The Weather Ready Nations (WRNs) demonstration projects, supported by USAID/OFDA and NOAA, represent a paradigm shift in how we think about weather forecasting. We are:



Moving from just what the weather will be

- 6 inches of rain
- 40 mph winds

To also include what the weather will do

- Roads flooded
- Communities cut off
- Power lines down



Disaster managers and traditional weather forecasting agencies must work closely together to create an impact-based forecast

Disaster management agencies contain detailed geographic spatial information on the vulnerabilities of local communities. These agencies traditionally lead in the warning of communities at risk.

Forecasters using the latest science based weather predictions decide on the likelihood of an impact, and together with disaster managers decide on an appropriate warning level according to the risk matrix.

Risk Matrix

	High						
Lielihood	Medium						
	Low						
	Very low						
		Very low	Low	Medium	High		
Impact							





The Process

- Disaster Managers and Forecasting Weather Agencies jointly develop hazard matrices (thunderstorm, snow).
- Forecasters compile science based weather predictions.
- Disaster management agencies provide detailed geographic spatial information on the potential for human and economic losses.
- Forecasters decide on the likelihood level and together with disaster managers agree on an appropriate warning level according to the risk matrix.
- Forecasters and Disaster managers coordinate to issue a warning.
- Disaster Managers and Forecaster coordinate to monitor progress and share situation reports .

Summary

- The US NWS is leading the US Weather, Water, Climate Enterprise in Building a Weather-Ready Nation (BWRN) and now involving 8200+ WRN Ambassadors and organizations across the U.S.
- We are now moving beyond the forecast and warning -- connecting these to decision makers at the Federal, State, Local and Tribal Nation.
- Building a Weather-Ready Nation and providing increased IDSS and the <u>Federal, State, Local, and Tribal Nation level authorized</u> by the Weather Act <u>that was signed into law in April, 2017</u>.
- Initial successful outcomes -- effective life and property saving decisions have energized the NWS workforce and all core partners. Demand for IDSS continues to increase across all service areas.
- Changing the nature of the workforce includes Earth System Science & Social Science
- Spreading the Gospel! With USAID, OFDA and WMO members, 6 Pilot Projects to Build Weather Ready Nations (WRNs) are currently underway, with 2 more in development.

Thank You

