Quadrennial Ozone Symposium, Edinburgh, 04.-09. September 2016



Measuring the Tropospheric Ozone Minimum in the Tropical West Pacific

Katrin Müller, Peter von der Gathen, Ingo Wohltmann, Ralph Lehmann und Markus Rex



horizontal positions of the trajectories between boundary layer and LCPs from 4-months ATLAS runs; thick red line: TransBrom cruise October 2009 (Rex et al. 2014).

> Origin and transit region of corresponding air masses in boundary layer and troposphere (Rex et al. 2014)

measurements Corresponding OH minimum and



Palau (Rex et al. 2014). ▼ Fig.4: Tropospheric ozone profiles from TransBrom (black: extratropical ~30°N, red: ~10°N), shading: see fig. 5 (Rex et al.

2014).

 $O(^{1}D) + H_{2}O \rightarrow OH + OH$

Oxidizing Capacity

Major source of OH formation in clean

Couples ozone concentration and

Efficient loss mechanism for ozone,

favored in the tropical West Pacific

tropospheric air: $O_3 + hv \rightarrow O(^1D) + O_2$

Ozone [ppbv]

Important region for the supply of chemical species to the stratosphere

Objectives

prolonged life times of

various chemical species

(e.g. Kley et al. 1996)

Motivated by measurements from the TransBrom campaign in October 2009 with RV Sonne a new research station was established on Palau (7° N, 135° E) as part of the StratoClim EU-project: since January 2016 intensive measurement periods and regular ozone soundings to improve limited data pool.

Development of a new device to monitor the background current of ECC ozone sondes in flight to lower the instrumental detection limit and improve measurements at mixing ratios near detection limit (~15ppbv) Improve the overall understanding of this yet controversial bias (see Vömel und Diaz, 2010).

oxidizing capacity





interest (e.g. tropical upper troposphere)

◄ Fig. 5. Tropospheric ozone profile from the first modified ECC sonde launch (blue) in Palau. For reg. ECC, 2 hours before comparison: profile from a regular launch 2 hours 150 200 250 300 prior (magenta). Shading illustrates the effect of different background current (I_b) treatments (see also fig.4). Lowest values: subtraction of a constant I_b ; highest values: I_b equals zero; lines: subtraction of a pressure dependent $I_{\rm b}$. **NoOzone Periods**





First Ozone Measurements from Palau



▼ Fig. 13. Comparison of ozone distributions with respect to relative humidity (RH) (left), magenta: all data, blue: data with RH > 45 %; examples of ozone and RH profiles

	Ι	
	0-15 km, 0-1	.00% RH
	0-15 km, 45-	100% RH
-		

with anti-correlated layers (middle, right). 20160131 20160126 RH [%]

'NoOzone' periods (right), grey dashed line: pre-launch background; colours of shading or lines differentiate between different "NoOzone"-periods.





▲ ► Fig. 7,8,9: Sketch and photos of the ECC sonde modification for in-flight-monitoring of $I_{\rm b}$.



Summary: Successful establishment of the new Palauan research station: growing data set from 01/2016 until 2018(+). Under investigation: seasonal variation (incl. El Niño), relation of tropos. O_3 and H_2O , chemical and dynamical processes in the TTL.

References

Fueglistaler, S., Wernli, H., and Peter, T.: Tropical troposphere-to-stratosphere transport inferred from trajectory calculations, J. Geophys. Res., 109, D03108, doi:10.1029/2003JD004069, 2004.

Kley, D., Crutzen, P. J., Smit, H. G. J., Vömel, H., Oltmans, S. J., Grassl, H., and Ramanathan, V.: Observations of near-zero ozone concentrations over the convectice Pacific: Effects on air chemistry, Science, 274, 230-233, 1996.

Kremser, S., Wohltmann, I., Rex, M., Langematz, U., Dameris, M., and Kunze, M.: Water vapour transport in the tropical tropopause region in coupled Chemistry-Climate Models and ERA-40 reanalysis data, Atmos. Chem. Phys., 9, 2679-2694, 2009.

Pan, L.L., Honomichl, S.B., Randel, W.J., Apel, E.C., Atlas, E.L., Beaton, S.P., Bresch, J.F., Hornbrook, R., Kinnison, D.E., Lamarque, J.-F., Saiz-Lopez, A., Salawitch, R.J., and Weinheimer, A.J.: Bimodal distribution of free tropospheric ozone over the tropical western Pacific revealed by airborne observations, Geophys. Res. Lett., 42, 7844-7851, doi:10.1002/2015GL065562, 2015.

Rex, M., Wohltmann, I., Ridder, T., Lehmann, R., Rosenlof, K., Wennberg, P., Weisenstein, D., Notholt, J., Krüger, K., Mohr, V., Tegtmeier, S.: A tropical West Pacific OH minimum and implications for stratospheric composition, Atmos. Chem. Phys., 14, 4827-4841, 2014. Vömel, H. and Diaz, K.: Ozone cell current measurements and implications for observations of near-zero ozone concentrations in the tropical upper troposphere, Atmos. Meas. Tech., 3, 495, doi:10.5194/amt-3-495-2010, 2010.

Stratospheric and upper tropospheric



BREMERHAVE

www.awi.de

HELMHOLTZ GEMEINSCHAF

StratoClim is funded processes for better climate predictions by the European Unior



Figure "Globe": Wikipedia, CC-BY-SA 3.0 by user: TUBS.